LED-Leseleuchte Kaia, fokussierbar



Anleitung Instructions


Biber Umweltprodukte Versand GmbH 6850 Dornbirn [|] Austria www.biber.com

Bedienungsanleitung

- 1. Verwenden Sie die LED-Leseleuchte Kaia nur mit dem mitgelieferten Netzteil.
- 2. Nicht direkt in das helle, intensive Licht der LED-Leuchte schauen!
- Schützen Sie das Produkt vor extremen Temperaturen, direktem Sonnenlicht, starken Erschütterungen, brennbaren Gasen, Dämpfen und Lösungsmitteln.
- 4. Bauen Sie die LED-Leseleuchte nicht auseinander. Unsere Garantie erlischt, wenn Sie die Leuchte selbst demontieren oder daran Veränderungen vornehmen.
- 5. Die flexible Welle darf gebogen, aber nicht geknickt werden.

Hinweis

Die Sicherheit der LED-Leuchte ist nur dann gewährleistet, wenn die Vorschriften der vorliegenden Bedienungsanleitung sowohl bei der Montage als auch im Gebrauch befolgt werden. Lesen Sie diese sorgfältig durch. Der Hersteller kommt nicht für Schäden auf, die durch den unsachgemäßen Gebrauch der LED-Leseleuchte verursacht werden.








Hinweis

Je nach Umgebungstemperatur kann der Leuchtkörper erhöhte Temperaturen aufweisen.

An / Aus



Lieferumfang

LED-Leseleuchte und Netzteil

Art.-Nr.: 410645

Farbtemperatur: ca. 3.000 K Leistung/Versorgung: 24 V Lichtstrom: ca. 250 lm

Gewicht: 600 g


Gesamtlänge: 620 mm Leuchtkopf: Ø 18 mm Fuß: Ø 120 mm

Operating instructions

- 1. Use the LED light Kaia only with the enclosed power supply unit.
- 2. Do not look directly into the bright, intense light of the LED light!
- 3. Protect the product from extreme temperatures, direct sunlight, strong vibrations, flammable gases, vapours and solvents.
- 4. Please do not disassemble the LED light. Our warranty will be rendered void if you disassemble the LED light yourself or make any changes to it.
- 5. The flexible shaft may be bent but not kinked.

Note

The safety of the LED light Kaia is only guaranteed if the instructions in this manual are followed both during assembly and use. Therefore, please read the operating instructions carefully. The manufacturer cannot be held liable for any damage caused by incorrect use of the LED light.








Note

Depending on the ambient temperature, the LED light may get hot.

0n / 0ff



Scope of delivery

LED light and power supply unit

Item no.: 410645

Light temperature: ca. 3.000 K

Power/supply: 24 V Light flux:ca. 250 lm Weight: 600 g

Total length: 620 mm Light head: Ø 18 mm Base: Ø 120 mm